



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

AK

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

09/451.080 11/30/99 OHMORI

S 024060-114

021839 MM92/0326
BURNS DOANE SWECKER & MATHIS L L P
POST OFFICE BOX 1404
ALEXANDRIA VA 22313-1404

EXAMINER

SPECTOR.D

ART UNIT

PAPER NUMBER

2873

DATE MAILED:

03/26/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

NOTICE OF ALLOWANCE AND ISSUE FEE DUE

021839 MH92/0326
BURNS DOANE SWECKER & MATHIS L L P
POST OFFICE BOX 1404
ALEXANDRIA VA 22313-1404

APPLICATION NO.	FILING DATE	TOTAL CLAIMS	EXAMINER AND GROUP ART UNIT	DATE MAILED
09/451,080	11/30/99	015	SPECTOR, D 2873	03/26/01
First Named Applicant	OHMORI, 35 USC 154(b) term ext. = 0 Days.			

TITLE OF INVENTION LENS OPTICAL SYSTEM

ATTY'S DOCKET NO.	CLASS-SUBCLASS	BATCH NO.	APPLN. TYPE	SMALL ENTITY	FEE DUE	DATE DUE
0 024060-114	359-733.000	E06	UTILITY	NO	\$1240.00	06/26/01

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED.

HOW TO RESPOND TO THIS NOTICE:

I. Review the SMALL ENTITY status shown above.

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:

- A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the Patent and Trademark Office of the change in status, or
- B. If the status is the same, pay the FEE DUE shown above.

If the SMALL ENTITY is shown as NO:

- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, payment of 1/2 the FEE DUE shown above.

II. Part B-Issue Fee Transmittal should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B Issue Fee Transmittal should be completed and returned. If you are charging the ISSUE FEE to your deposit account, section "4b" of Part B-Issue Fee Transmittal should be completed and an extra copy of the form should be submitted.

III. All communications regarding this application must give application number and batch number. Please direct all communications prior to issuance to Box ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PATENT AND TRADEMARK OFFICE COPY

Notice of Allowability

Application No.

09/451,080

Examiner

David N Spector

Applicant(s)

OHMORI ET AL.

Art Unit

2873

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to FAOM.
 2. ☒ The allowed claim(s) is/are 1-15.
 3. ☒ The drawings filed on 30 November 1999 are acceptable as formal drawings.
 4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.

5. ☒ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE FOR SUBMITTING NEW FORMAL DRAWINGS, OR A SUBSTITUTE OATH OR DECLARATION.** This three-month period for complying with the REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL is extendable under 37 CFR 1.136(a).

6. ☐ Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED.
7. ☐ Applicant MUST submit NEW FORMAL DRAWINGS
 - (a) ☐ including changes required by the Notice of Draftperson's Patent Drawing Review(PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No. _____.
 - (b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the examiner.
 - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.


Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

8. ☐ Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Any reply to this letter should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE / SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included.

Attachment(s)

- | | |
|--|---|
| 1 <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 2 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3 <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 4 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____ |
| 5 <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449), Paper No. <u>3</u> | 6 <input type="checkbox"/> Examiner's Amendment/Comment |
| 7 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9 <input type="checkbox"/> Other |


Georgia Epps
Supervisory Patent Examiner
Technology Center 2800

REASONS FOR ALLOWANCE

1. Claims 1-15 are allowed. The examiner's statement of reasons for allowance follows.
2. The instant application is directed to optical lens systems including hybrid refractive/diffractive optical elements to correct both chromatic aberration and secondary spectrum in refractive optical systems. Each of these hybrid elements includes at least one refractive optical surface having a relief pattern constituting a diffraction grating formed thereon. While the general use of refractive/diffractive hybrid elements to correct simple lens aberrations is widely known to those of ordinary skill in the art, the invention commensurate with applicant's independent claims is distinguished from the prior art of record by having said relief pattern disposed at the cementing interface between two elements of an achromatic doublet. Such relief patterns extant in the prior art are formed exclusively on the external optical surface of a lens. In particular, independent claim 1 recites an optical system comprising a cemented lens formed by cementing two constituent lenses together with a diffractive surface disposed at the cementing interface; the two constituent lenses having a radius of curvature at their respective interfaces with air that is different from a radius of curvature that they have at the cementing interface. Independent claim 8 reads on the optical system of claim 1 taken together with an optical low pass filter for projecting an image on a solid-state sensor. Independent claim 15 recites a method of correcting aberration comprising the steps of: disposing the cemented lens element of claim 1 in an optical system, and optimizing correction of all aberrations occurring over the entire optical system. The prior art taken either singly or in combination fails to anticipate or fairly suggest the limitations of applicant's independent claims, in such a manner that a rejection under 35 U.S.C. 102 or 103 would be proper. The claimed invention is therefore considered to be in condition for allowance as being novel and nonobvious over prior art.
3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2873

REMARKS

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Ishii (U.S. Patent No. 6,157,488) discloses a diffractive optical element including stacks of different optical regions including relief patterns/structures therein; Fritz et al. (U.S. Patent No. 5,873,894) discloses a spherical lens comprising two hemispheres formed of the same optical material and having a sapphire substrate with a diffraction grating etched thereon and cemented between the aforesaid hemispheres.


5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David N. Spector whose telephone number is (703) 305-1521. The examiner can normally be reached at this number Monday through Friday between 6:00 AM and 2:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Y. Epps, can be reached on (703) 308-4883. The fax number for the organization where this application is assigned is (703) 308-7722.

March 22, 2001



- David N. Spector

PATENT EXAMINER



Georgia Epps
Supervisory Patent Examiner
Technology Center 2800